

Technical Datasheet

Textile Chemicals

EBCABURST P1

Edition 04-2020

NON- SILICONE DEFOAMER FOR INDUSTRIAL USES.

Typical SPECIFICATIONS

Chemical nature	Non-silicon based defoamer.
Active constituent	>98 %
Ionic nature	Non-ionic
Flash point	>200 oC
Solubility	Readily dispersible in water – Soluble in oil
Density at 24°C	0.9 mg/L

APPLICATIONS

EBCABURST P1 is recommended for aqueous systems susceptible to foaming during mixing. It suppresses foaming during processing in aqueous media.

DOSAGE USED:

0.2 –0.5 g/l to be added to the system before mixing starts.

Must to stir it vigorously before use.

PACKAGING

125, 160, 180, 1000 Kgs plastic drums.

STORAGE

This product has a shelf life of 12 months in the original closed container at temperature between 5oC, 30oC. Once been opened, the contents should be used directly, container should be closed tightly after reuse.

The TD ascertained by our quality control laboratory at the time of product release may vary according to the storage conditions and may deviate from the stated limits.

Precautions must be taken to keep EBCABURST P1 away from the moisture. Generally it should be stored in a tank.

These suggestions and data based on information we believe to be reliable. They are offered in good faith, but without guarantee, as conditions of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions on a commercial scale.

Egyptian British Company maintains Material Safety Data sheets (MSDS) on all of its products. These contain important information that you should provide to your employees and customers against any known health and safety hazards associated with our products. We recommend you to obtain copies of MSDS from our technical representative, and obtain copies of MSDS from your suppliers of other raw materials used with our products.

All rights reserved for Egyptian British Co.



g properties during

ce container have

rage time and storage

k that has dry air.

tions and methods of use
rs before adopting them on

ou may need to protect
opies of MSDS for our

yptian-British Co.

