

## Technical Datasheet

Textile Chemicals

# EBCABURST SF

Edition 04-2020

HIGHLY EFFICIENT SILICONE DEFOAMER USED IN DYEING MACHINE.

### Typical SPECIFICATIONS

Property:	EBCABURST SF
Chemical nature	Non-silicon based defoamer.
Active constituent	>98 %
Ionic nature	Non-ionic
Solubility	Readily dispersible in water – Soluble in oil

### APPLICATIONS

EBCABURST SF is recommended for aqueous systems susceptible to foaming during mixing. It suppresses foaming processing in aqueous media.

#### DOSAGE USED:

0.2 –0.5 g/l to be added to the system before mixing starts.

Must to stir it vigorously before use.

### PACKAGING

125, 160, 180, 1000 Kgs plastic drums.

### STORAGE

This product has a shelf life of 12 months in the original closed container at temperature between 5oC, 30oC. Once been opened, the contents should be used directly, container should be closed tightly after reuse.

The TD ascertained by our quality control laboratory at the time of product release may vary according to the storage conditions and may deviate from the stated limits.

Precautions must be taken to keep EBCABURST SF away from the moisture. Generally it should be stored in a tank

These suggestions and data based on information we believe to be reliable. They are offered in good faith, but without guarantee, as conditions of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions a commercial scale.

Egyptian British Company maintains Material Safety Data sheets (MSDS) on all of its products. These contain important information that you should provide to your employees and customers against any known health and safety hazards associated with our products. We recommend you to obtain copies of MSDS from our technical representative, and obtain copies of MSDS from your suppliers of other raw materials used with our products.



properties during



ce container have

rage time and storage

◀ that has dry air.

tions and methods of use  
rs before adopting them on

ou may need to protect  
opies of MSDS for our

gyptian-British Co.

































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































